

GENOTYPING BY PCR PROTOCOL

MUTANT MOUSE REGIONAL RESOURCE CENTER: UC DAVIS

mmrrc@ucdavis.edu
530-754-MMRRC

NAME OF PCR: C57BL/6-Gt(ROSA)26Sor^{tm1(CAG-Upp1)Gp}/Mmucd MMRRC: 037121-UCD

Protocol: *PCR protocol provided by Donating Investigator*

Reagent/Constituent		Volume (μL)
Water		16.75
10x Buffer		2.5
MgCl ₂	(stock concentration is 25mM)	2.0
dNTPs	(stock concentration is 10mM)	0.5
Primer 1.	(stock concentration is 20μM)	0.5
Primer 2.	(stock concentration is 20μM)	0.5
Primer 3.	(stock concentration is 20μM)	0.5
Primer 4.	(stock concentration is 20μM)	0.5
Taq Polymerase 5Units/μL		0.25
DNA (example) extracted w/ "Qiagen DNeasy columns or other similar silica based kits"		1.0
TOTAL VOLUME OF REACTION:		25.00 μL

Comments on protocol:


Strategy:

Steps	Temp (°C)	Time (m:ss)	# of Cycles
1. Initiation/Melting HOT START? ☐	95	2:00	1
2. Denaturation	95	0:30	
3. Annealing steps 2-3-4 cycle in sequence	55	0:30	30x
4. Elongation	72	1:00	
5. Amplification	72	5:00	1
6. Finish	4	∞	n/a

Primers:

Electrophoresis Protocol:

Name	Nucleotide Sequence (5' - 3')	Argarose: 1.6% V: 100		
1. RosaF (wt)	AAAGTCGCTCTGAGTTGTTAT	Estimated Running Time: 24 min.		
2. RosaR (wt)	GGAGCGGGAGAAATGGATATG	Primer Combination	Band (bp)	Genotype
3. 5762 (Mutant)	TTGGCGAGAGGGGAAAGACC	1 and 2	603	WT
4. 6503 (Mutant)	GCGGGTGTCCGAAATATCGA	3 and 4	500	Mutant



PCR protocol provided by Donating Investigator