

KOMP PCR Design

Mouse PCR Protocol (version 1JE)

Design ID: 183857

Project ID: CSD66707

Selection Cassette: L1L2_Bact_P



MMRRC Stock #: 049610-UCD


C57BL/6N-Atm1Brd

Serpinb2tm1a(EUCOMM)Wtsi/JMmucd

Suggested DNA Prep: DNeasy®Tissue Kit

Reagent	1X (µL)	Cycling Parameters	
		Temperature °C	Time
water (biological grade)	10.725	94	5 min
betain 5M (Sigma)	6.5	94	15 sec
DMSO (Sigma)	0.325	65	30 sec
10X buffer w/o MgCl ₂ (AB)	2.5	72	40 sec
25 mM MgCl ₂ (AB)	1.75	94	15 sec
10 mM dNTPs (Invitrogen)	0.5	55	30 sec
primers (20 µM each)	0.5	72	40 sec
Taq 5U/µL (AmpliTaq, AB)	0.2	72	5 min
total cocktail	23	4	finished
template	2		
reaction volume	25		

Primer Strategy



Cassette Primers

CSD-lacF: GCTACCATTACCAGTTGGTCTGGTGTC
CSD-neoF: GGGATCTCATGCTGGAGTTCTTCG
CSD-loxF: GAGATGGCGAACGCAATTAAATG

Gene Specific Primers

CSD-R: GCCTTGAAAGGTTGAAAGACAGC
CSD-ttR: ACAAACAAAAACCCACTACCAACAGC
CSD-F: CCTATATATCTTGGGCAGTGGAG

Genotype	Forward Primer	Reverse Primer	Amplicon size (bp)
Floxed	CSD-loxF	CSD-R	224
PreCre	CSD-neoF	CSD-ttR	544
PostCre	CSD-lacF	CSD-R	522
Wildtype	CSD-F	CSD-ttR	285
PostFlp	CSD-F	CSD-ttR	414
PostFlp & Cre	CSD-F	CSD-R	441

Please note, these primers are auto-designed and may not have been verified by the repository, and as such may require optimization or redesign by your facility.

We recommend running primers singleplex. For screening of pups prior to any Flp or Cre recombination, the Floxed or PreCre primers may be used to identify the mutant mice. The Floxed primers test for the distal LoxP site. The PostCre primers should be used if mutant mice were crossed with a Cre recombinase line (without any FLP recombination). The PostFlp primers should be used if mutant mice were crossed with a Flp recombinase line. The PostFlp & Cre primers should be used if mutant mice were crossed with a Flp recombinase line and then a Cre recombinase line. The wildtype primers should be used for zygosity testing of all mutant mice (pre or post recombination).