2[№] STREET FACILITY Area: Rm 109 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 109 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email <u>mbp@ucdavis.edu</u> with questions about this report or animal health related issues.

istu N

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------|--------------------|-----------------------------------------|-----------------|-----------------|-----------------------------|--------------------------------------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Lymphocytic choriomeningitis | Serum | MFI/ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| (LCMV) | | | | | | | | |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Mouse adenovirus of mice (MAV 1 | Serum | MFI/ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| & 2) | | | | | | | | |
| Mouse hepatitis virus (MHV) | Serum | MFI/ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| | LN^1 | PCR | 0/40 | 0/48 | 0/8 | 0/23 | 0/24 | 0/24 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Rotavirus (EDIM) | Serum | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Sendai virus | Serum | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Murine norovirus (MNV) | Serum | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Naopharynx | Culture | 0/20 | 1/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Pasteurella pneumotropica | Naopharynx | Culture | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Staphylococcus aureus | Naopharynx | Culture | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis | Naopharynx | Culture | 0/20 | 11/24 (C. bovis) ⁵ | 0/4 | 0/12 | 2/12 (S. Maltophilia) | 1/12 (non-bovis Corynebacteri um) |
| Streptococcus, β hemolytic | | | | | - | | | |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 32/32 ⁵ | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis | Serum | ELISA | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | 0/12 |
| Mycoplasma pulmonis | | | | | | | | |
| Intestinal bacteria, including: | Intestine | Culture | 1/20 | 1/24 | 0/4 | 0/12 | 1/12 | 2/12 |
| Citrobacter rodentium | | | (P. aeruginosa) | <i>(K</i> . | | | (S. Maltophilia) | (A. radioresistens |
| Klebsiella species | | | uer uginosu) | pneumon- iae) | | | |) |
| Pseudomonas species | | | | iue) | | | | , |
| Salmonella species | | | | | | | | |

2ND STREET FACILITY Area: Rm 109 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022

Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------|-----------------|----------------|---------|---------|---------|---------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/40 | 0/16 | 0/8 | 0/23 | 0/24 | |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |
| Fur Mites | Fur/ bedding | PCR | 0/12 | NT^2 | 0/4 | 0/8 | 0/4 | |
| Follicle mites (<i>Psorergates simplex</i>) | Subcutis | Visual | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |
| Roundworms and other helminths | Intestine | Visual | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |
| Pinworms, e.g., Syphacia species | Feces | PCR | 0/8 | 0/16 | 0/4 | 0/8 | 0/16 | |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |
| Trichomonads | Intestine | Micro | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |
| Other intestinal protozoa, including Spironucleus muris Giardia muris | : Intestine | Micro | 0/20 | 0/24 | 0/4 | 0/12 | 0/12 | |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis.

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 5 NT = Not Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY Area: Rm 110 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 110 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email mbp@ucdavis.edu with questions about this report or animal health related issues.

the Namoral

Kristin N. Grimsrud, D.V.M., Ph.D. Associate Director of Vivaria and Veterinary Care, Mouse Biology Program University of California, Davis

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|-----------------|------------------------|-----------------|-----------------|--------------------------------------------|--------------------------------------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Mouse hepatitis virus (MHV) | Serum/ | MFI/ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| | Feces | PCR | 0/43 | 0/26 | 0/24 | 0/20 | 0/20 | 0/20 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| | LN^1 | PCR | 0/43 | 0/26 | 0/24 | 0/20 | 0/20 | 0/20 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Rotavirus (EDIM) | Serum | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Sendai virus | Serum | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Murine norovirus (MNV) | Serum | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| LDHV | Serum | | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |
| Pneumocystis murina | Lung | PCR | 0/20 | 0/14 | 0/12 | 0/10 | 0/10 | 0/10 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus, β hemolytic | Nasopharynx | Culture | 0/22 | 7/30 (C. bovis)⁵ | 0/12 | 0/10 | 1/10 (non-bovis Corynebac terium) | 1/10 (non-bovis Corynebac terium) |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 32/32 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/22 | 0/30 | 0/12 | 0/10 | 0/10 | 0/10 |

2ND STREET FACILITY AREA: Rm 110 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022

Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|---------|---------------------------------------|---------|-----------------------------------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Intestinal bacteria, including: <i>Citrobacter rodentium</i> <i>Klebsiella</i> species <i>Pseudomonas</i> species <i>Salmonella</i> species | Intestine | Culture | 0/22 | 2/30 (2/2 P. aeruginosa) | 0/12 | 1/10 (1/2 P. Putida) | 0/10 | 0/10 |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/43 | 0/26 | 0/24 | 0/20 | 0/20 | 0/20 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |
| Fur mites | Fur/ bedding | PCR | 0/14 | NT ² | 0/10 | NT ² | 0/4 | 0/4 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |
| Roundworms and other helminths | Intestine | Visual | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |
| Pinworms, e.g., Syphacia species | Feces | PCR | 0/8 | 0/26 | NT^4 | 0/20 | 0/12 | 0/12 |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |
| Trichomonads | Intestine | Micro | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris | Intestine | Micro | 0/22 | 0/30 | 0/10 | 0/10 | 0/10 | 0/10 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis.

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY Area: Rm 110 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 110 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email mbp@ucdavis.edu with questions about this report or animal health related issues.

itin Namorae

Kristin N. Grimsrud, D.V.M., Ph.D. Associate Director of Vivaria and Veterinary Care, Mouse Biology Program University of California, Davis

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------|-----------------|------------------------------------------|-----------------|-----------------|-----------------|-----------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Mouse hepatitis virus (MHV) | Serum/ | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| | Feces | PCR | 0/4 | 0/3 | 0/4 | 0/8 | 0/8 | 0/8 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| | LN^1 | PCR | 0/4 | 0/3 | 0/4 | 0/8 | 0/8 | 0/8 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Rotavirus (EDIM) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Sendai virus | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Murine norovirus (MNV) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| LDHV | Serum | | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Pneumocystis murina | Lung | PCR | 0/2 | 0/2 | 0/2 | 0/4 | 0/4 | 0/4 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus, β hemolytic | Nasopharynx | Culture | 0/2 | 2/4 (C. bovis) ⁵ | 0/2 | 0/4 | 0/4 | 0/4 |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 4/4 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |

2ND STREET FACILITY AREA: Rm 110 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022

Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|-----------------|--------------------------------------|-----------------|-----------------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Intestinal bacteria, including: <i>Citrobacter rodentium</i> <i>Klebsiella</i> species <i>Pseudomonas</i> species <i>Salmonella</i> species | Intestine | Culture | 0/2 | 2/4 (2/2 P. aeruginosa) | 0/2 | 0/4 | 0/4 | 0/4 |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/4 | 0/7 | 0/4 | 0/8 | 0/8 | 0/8 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Fur mites | Fur/ bedding | PCR | 0/2 | NT ² | NT ² | NT ² | 0/4 | 0/2 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Roundworms and other helminths | Intestine | Visual | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Pinworms, e.g., Syphacia species | Feces | PCR | NT ⁴ | 0/3 | 0/2 | 0/8 | 0/4 | 0/4 |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Trichomonads | Intestine | Micro | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris | Intestine | Micro | 0/2 | 0/4 | 0/2 | 0/4 | 0/4 | 0/4 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis.

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY Area: Rm 111 - MBP ANIMAL HEALTH REPORT

Date: 6/302022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 111 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email <u>mbp@ucdavis.edu</u> with questions about this report or animal health related issues.

the Norimon

| Organism | Sample | Test | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------|-------------|-----------|-----------------|---------------------|---------|--------------------------|----------|---------|
| | | Method | | | | | | |
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Mouse hepatitis virus (MHV) | Serum | MFI/ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| | LN^1 | PCR | 0/59 | 0/54 | 0/36 | 0/48 | 0/40 | 0/40 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Rotavirus (EDIM) | Serum | ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Sendai virus | Serum | ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Murine norovirus (MNV) | Serum | ELISA | 0/31 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Other respiratory bacteria, including: | Nasopharynx | Culture | 1/32 | 2/28 | 0/18 | 6/24 | 0/20 | 0/20 |
| Bordetella bronchiseptica | | | (P. | (C. | | (non-bovis | | |
| Corynebacterium kutscheri | | | luteola) | bovis) ⁵ | | corynebact erium sp.) | | |
| Pasteurella multocida | | | | | | erium sp.) | | |
| Streptobacillus moniliformis | | | | | | | | |
| Streptococcus β hemolytic | | | | | | | | |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 24/24 | 0/4 | 0/24 | 0/20 | 0/20 |
| Mycoplasma arthritidis | Serum | ELISA | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Mycoplasma pulmonis | | | | | | | | |
| Intestinal bacteria, including: | Intestine | Culture | 0/32 | 2/28 | 0/18 | 0/24 | 2/20 | 0/20 |
| Citrobacter rodentium | | | | (P. | | | (A. | |
| Klebsiella species | | | | aerugi- | | | baumanni | |
| Pseudomonas species | | | | nosa) | | | i.) | |
| Salmonella species | | | | | | | | |

2ND STREET FACILITY Area: Rm 111 - MBP ANIMAL HEALTH REPORT

Date: 6/302022 Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-------------------------------------------------------------------------------------------------|-----------------|----------------|-----------------|-----------------|---------|---------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/59 | 0/15 | 0/36 | 0/48 | 0/40 | 0/40 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Fur mites | Fur/ bedding | PCR | 0/17 | NT ² | 0/10 | 0/12 | 0/10 | 0/14 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/30 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Roundworms and other helminths | Intestine | Visual | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Pinworms, e.g., Syphacia species | Feces | PCR | NT ⁴ | 0/30 | 0/8 | 0/12 | 0/24 | 0/12 |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Trichomonads | Intestine | Micro | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris Entamoeba muris | Intestine | Micro | 0/32 | 0/28 | 0/18 | 0/24 | 0/20 | 0/20 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis.

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY AREA: Rm 112- MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from Room 112 MBP at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email <u>mbp@ucdavis.edu</u> with questions about this report or animal health related issues.

the Norimon

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|-----------------|-----------------------------------------|-----------------|----------------------------|------------------------------------------------|------------------------------------------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Mouse hepatitis virus (MHV) | Serum | MFI/ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| | LN^1 | PCR | 0/66 | 0/87 | 0/12 | 0/36 | 0/32 | 0/32 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Rotavirus (EDIM) | Serum | ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Sendai virus | Serum | ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| Murine norovirus (MNV) | Serum | ELISA | 0/34 | 0/44 | 0/6 | 0/18 | 0/16 | 0/16 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/34 | 0/44 | 0/7 | 0/18 | 0/16 | 0/16 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/34 | 0/44 | 0/7 | 0/18 | 0/16 | 0/16 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/34 | 11/28 | 0/7 | 0/18 | 0/16 | 0/16 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus, β hemolytic | Nasopharynx | Culture | 0/34 | 55/73 (C. bovis) ⁵ | 0/7 | 0/18 | 2/16 (non-bovis corynebacte rium sp.) | 1/16 (non-bovis corynebacte rium sp.) |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 60/60 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Intestinal bacteria, including: <i>Citrobacter rodentium</i> <i>Klebsiella</i> species <i>Pseudomonas</i> species <i>Salmonella</i> species | Intestine | Culture | 0/34 | 2/14 (P. aeruginosa) | 0/7 | 1/18 (P. aeruginosa) | 0/16 | 0/16 |

2ND STREET FACILITY AREA: Rm 112- MBP

ANIMAL HEALTH REPORT

Date: 6/30/2022

Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------|-----------------|----------------|---------|-----------------|-----------------|---------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/66 | 0/28 | 0/12 | 0/36 | 0/32 | 0/32 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Fur Mites | Fur/ Bedding | PCR | 0/18 | NT ² | 0/10 | 0/12 | 0/12 | 0/4 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Roundworms and other helminths | Intestine | Visual | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Pinworms, e.g., Syphacia species | Feces | PCR | 0/8 | 0/28 | NT ⁴ | 0/6 | 0/20 | 0/24 |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Trichomonads | Intestine | Micro | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris | Intestine | Micro | 0/34 | 0/14 | 0/7 | 0/18 | 0/16 | 0/16 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis.

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY AREA: Rm 114 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 114 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email <u>mbp@ucdavis.edu</u> with questions about this report or animal health related issues.

retur N.h.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun ' 22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|-----------------|-----------------------|-----------------|-----------------|-----------------|-----------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Mouse adenovirus of mice (MAV 1&2) | Serum | MFI/ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Mouse hepatitis virus (MHV) | Serum/ | MFI/ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| | Feces | PCR | 0/20 | 0/4 | 0/8 | 0/8 | 0/8 | 0/8 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| | LN ¹ | PCR | 0/20 | 0/12 | 0/8 | 0/8 | 0/8 | 0/8 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Rotavirus (EDIM) | Serum | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Sendai virus | Serum | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Murine norovirus (MNV) | Serum | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Pneumocystis murina | Lung | PCR | 0/10 | 0/6 | 0/4 | 0/4 | 0/6 | 0/6 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus, β hemolytic | | Culture | 0/10 | 1/6 (C. bovis)⁵ | 0/6 | 0/4 | 0/6 | 0/6 |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 8/8 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |

2[№] Street Facility

Area: Rm 114 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022

Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|---------|-----------------|-----------------|---------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Intestinal bacteria, including: <i>Citrobacter rodentium</i> <i>Klebsiella</i> species <i>Pseudomonas</i> species <i>Salmonella</i> species | Intestine | Culture | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/20 | 0/6 | 0/8 | 0/8 | 0/12 | 0/12 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Fur mites | Fur/ bedding | PCR | 0/6 | NT ² | 0/4 | 0/2 | 0/2 | 0/4 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Roundworms and other helminths | Intestine | Visual | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Pinworms, e.g., Syphacia species | Feces | PCR | 0/8 | 0/4 | NT ⁴ | 0/4 | 0/8 | 0/4 |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Trichomonads | Intestine | Micro | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris | Intestine | Micro | 0/10 | 0/6 | 0/6 | 0/4 | 0/6 | 0/6 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY AREA: Rm 115 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 115 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email <u>mbp@ucdavis.edu</u> with questions about this report or animal health related issues.

the Norimon

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|-----------------|---------|-----------------|-----------------|-----------------|-----------------|
| VIRUSES | | Ivictiou | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Mouse hepatitis virus (MHV) | Serum | MFI/ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| | LN ¹ | PCR | 0/28 | 0/36 | 0/8 | 0/12 | 0/12 | 0/16 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Rotavirus (EDIM) | Serum | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Sendai virus | Serum | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Murine norovirus (MNV) | Serum | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus β hemolytic | Nasopharynx | Culture | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 12/12 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Intestinal bacteria, including: Citrobacter rodentium Klebsiella species Pseudomonas species Salmonella species | Intestine | Culture | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |

2ND STREET FACILITY AREA: Rm 115 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------|-----------------|----------------|-----------------|-----------------|-----------------|---------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/28 | 0/24 | 0/8 | 0/6 | 0/6 | 0/8 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Fur mites | Fur/ bedding | PCR | 0/14 | NT ² | 0/4 | 0/2 | 0/4 | 0/4 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Roundworms and other helminths | Intestine | Visual | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Pinworms, e.g., Syphacia species | Feces | PCR | NT ⁴ | 0/24 | NT ⁴ | 0/4 | 0/8 | 0/8 |
| Tapeworms, e.g., Hymenolepis species | Intestine | Visual | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Trichomonads | Intestine | Micro | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris | Intestine | Micro | 0/14 | 0/18 | 0/4 | 0/6 | 0/6 | 0/8 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY Area: Rm 116 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room 116 at UC Davis, CA. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email mbp@ucdavis.edu with questions about this report or animal health related issues.

ite NA.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|-----------------|---------|-----------------|-----------------|-----------------|-------------------------------------------------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Mouse hepatitis virus (MHV) | Serum | MFI/ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| • · · · · | LN^1 | PCR | 0/23 | 0/8 | 0/8 | 0/8 | 0/8 | 0/12 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Rotavirus (EDIM) | Serum | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Sendai virus | Serum | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Murine norovirus (MNV) | Serum | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus, β hemolytic | Nasopharynx | Culture | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 3/6* *Coryne- bacterium spp. (non- bovis) |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 0/8 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Intestinal bacteria, including: <i>Citrobacter rodentium</i> <i>Klebsiella</i> species <i>Pseudomonas</i> species <i>Salmonella</i> species | Intestine | Culture | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |

2ND STREET FACILITY AREA: Rm 116 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary

Data added August 2022 Current positive results are in **bold**. See data below.

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '21 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------|-----------------|----------------|---------|-----------------|-----------------|-----------------|---------|---------|
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Helicobacter species H. hepaticus H. bilis H. rodentium H. typhlonius | Intestine/Feces | PCR | 0/23 | 0/0 | 0/8 | 0/8 | 0/8 | 0/12 |
| PARASITES & PROTOZOA | | | | | | | | |
| Fleas, fur mites, lice | Fur | Micro | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Fur mites | Fur/ Bedding | PCR | 0/6 | NT^2 | 0/4 | NT ² | 0/4 | 0/2 |
| Follicle mites (Psorergates simplex) | Subcutis | Visual | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Pinworms, e.g., Syphacia species | Cecum | Visual | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Roundworms and other helminths | Intestine | Visual | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Pinworms, e.g., Syphacia species | Feces | PCR | 0/8 | NT ⁴ | NT ⁴ | 0/8 | 0/4 | 0/8 |
| Tapeworms, e.g., <i>Hymenolepis</i> species | Intestine | Visual | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Trichomonads | Intestine | Micro | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |
| Other intestinal protozoa, including: Spironucleus muris Giardia muris | Intestine | Micro | 0/12 | 0/4 | 0/4 | 0/4 | 0/4 | 0/6 |

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.

2ND STREET FACILITY AREA: Rm L9 - MBP **ANIMAL HEALTH REPORT**

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in bold. See data below.

This report summarizes the cumulative results of tests performed on dirty bedding sentinels from MBP Room L9 at UC Davis, CA. Room L9 was opened for use July 2017 and began housing animals August 2017. Note data are reported as positive tests / total tests performed. Please contact the Mouse Biology Program at 530-757-3333 or email <u>mbp@ucdavis.edu</u> with questions about this report or animal health related issues.

ist. N

| Organism | Sample | Test Method | Mar '21 | Jun '21 | Sep '20 | Dec '21 | Mar '22 | Jun '22 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------|-----------------|---------|-----------------|-----------------|-----------------|-----------------|
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| GDVII (Theiler's) virus | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Minute virus of mice (MVM) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Mouse adenovirus of mice (MAV 1 & 2) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Mouse hepatitis virus (MHV) | Serum | MFI/ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Mouse parvovirus (MPV) | Serum/ | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| | LN^1 | PCR | 0/4 | 0/8 | 0/4 | 0/4 | 0/4 | 0/4 |
| Pneumonia virus of mice (PVM) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Reovirus 3 (REO 3) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Rotavirus (EDIM) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Sendai virus | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Murine norovirus (MNV) | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Klebsiella species | Nasopharynx | Culture | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Pasteurella pneumotropica | Nasopharynx | Culture | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Staphylococcus aureus | Nasopharynx | Culture | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Other respiratory bacteria, including: Bordetella bronchiseptica Corynebacterium kutscheri Pasteurella multocida Streptobacillus moniliformis Streptococcus, β hemolytic | Nasopharynx | | 0/2 | 0/4 | | | | |
| Cornebacterium bovis | Skin swab | PCR | NT ⁵ | 0/2 | NT ⁵ | NT ⁵ | NT ⁵ | NT ⁵ |
| Mycoplasma arthritidis Mycoplasma pulmonis | Serum | ELISA | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |
| Intestinal bacteria, including: <i>Citrobacter rodentium</i> <i>Klebsiella</i> species <i>Pseudomonas</i> species <i>Salmonella</i> species | Intestine | Culture | 0/2 | 0/4 | 0/2 | 0/2 | 0/2 | 0/2 |

2ND STREET FACILITY

Area: Rm L9 - MBP ANIMAL HEALTH REPORT

Date: 6/30/2022 Result Summary Data added August 2022 Current positive results are in **bold**.

See data below.

Mar '21 Jun '21 Sep '21 Dec '21 Mar '22 Organism Sample **Test Method** Jun '22 **BACTERIA & MYCOPLASMA** PCR 0/40/40/4 0/4 Helicobacter species Intestine/Feces 0/4 0/4 H. hepaticus H. bilis H. rodentium H. typhlonius **PARASITES & PROTOZOA** Fleas, fur mites, lice 0/20/40/20/20/20/2Fur Micro $\overline{NT^2}$ Fur Mites PCR NT^2 NT^2 NT^2 NT^2 NT^2 Fur/ bedding Follicle mites 0/20/4 0/2 0/2 0/20/2 Subcutis Visual (*Psorergates simplex*) 0/20/20/20/2Pinworms, e.g., Syphacia species Cecum Visual 0/40/2Roundworms and other helminths Visual 0/20/40/20/20/20/2Intestine Pinworms, e.g., Syphacia species NT^4 NT^4 NT⁴ NT^4 NT^4 Feces PCR NT^4 Tapeworms, e.g., Intestine Visual 0/20/4 0/20/20/20/2*Hymenolepis* species 0/20/4 0/20/20/20/2Trichomonads Intestine Micro 2/2* Other intestinal protozoa, including Intestine 0/20/4 0/20/20/2Micro *Chilomastix Spironucleus muris spp. protozoa Giardia muris

 $^{1}LN = Lymph Node$

 2 NT = Not Tested. Fur mite PCR screening is performed on a semi-annual basis.

⁴NT = Not Tested. Beginning in March 2021, pinworms PCR screening is performed on a semi-annual basis

 ${}^{5}NT = Not$ Tested. We were notified sentinel mice were exposed to *C. bovis* from stock colony prior to transport to MBP 2nd Street vivarium. Once informed, all sentinel animals were submitted for screening and we received notice of positive test results for *C. bovis* on May 28, 2021. Further screening of animals in room is in progress and on June 1, 2021 new sentinels were obtained from a different source/vendor. There are currently no positives on swabs, and testing moving forward on sentinels will be performed regularly through culture, and PCR from swab samples will only be performed if lesions are present.